



Product Catalog 2025

aproTex®
BASIC

aproLin®
BASIC

aproLin®
DETECT

meshFlex®
SAFETY

ReiKo aproTex GmbH is a premium manufacturer focusing on innovative reusable hygienic protective clothing made of thermoplastic polyurethane (TPU) and stainless steel ring mesh (puncture protection gloves, puncture protection aprons, boleros) - we offer product solutions to optimize hygiene and cost management in operational work processes.



Our products are handmade in our own production, are individually quality tested and comply with the valid legal regulations.



Product Finder

aproTex® BASIC

5 aproTex® EXPORT
Apron

6
7 Configuration for
aproTex® EXPORT
Apron

aproLin® BASIC

8 aproLin® -L90-/
9 -L100- Apron

10 Configuration for
11 aproLin® -L90-/
-L100- Apron

12 aproLin® ECO
Apron

13 aproLin® ECO+
Apron

14 aproLin® ECO+
Sleeve apron

15 aproLin® ECO+
Sleeve cover

16 aproLin® Fingerfix

aproLin® DETECT

16 aproLin® DETECT
Fingerfix

17 aproLin® DETECT
Apron

18 aproLin® DETECT
Sleeve apron

19 aproLin® DETECT
Sleeve cover

aproTex® BASIC

20 aproTex® -EL-
21 Apron

22 aproTex® -UL-
Apron

23 aproTex® -EL-
Sleeve cover

24 aproTex®
Smock and
Bib & Brace

25 PU-Boots and
PU-Boots SAFETY

meshFlex® SAFETY

26 meshFlex® PRIME
Cut protection
glove

27 meshFlex® PRIME-S
Cut protection
armguard

meshFlex® PRIMAX
Cut protection
glove

28 meshFlex®
29 STANDARD
Stab protection
glove

30 meshFlex®
HOOKER
Stab protection
glove

31 meshFlex®
NEU
Stab protection
glove

32 meshFlex®
33 Stab protection
apron

34 meshFlex®
35 Stab protection
boleros

Legend



Meat



Fish- and
seafood



Milk and
cheese



Fine-, canned and
convenience food



Baked- and
confectionery



Supermarket-
and counter area



Cleaning



Chemical
industry



Agricultural




aproTex® BASIC

aproTex® Export Apron (NBR Rubber-coated)

The traditional meat apron in heavy and robust design for intensive requirements. Particularly suitable for butchers, the fish industry and the dairy industry. Complies with the LFBG and the specifications of the respective relevant recommendations of the BfR.

- made of polyester fabric coated on both sides with NBR-rubber
- material: Medium-Heavy
- washable
- permanently flexible
- waterproof
- resistant against animal oils and fats, strong detergents and some acids and alkaline liquids
- heat resistant
- width: 90 cm (open edge)
100 cm (hemmed)



Quality guarantee

**Original aproTex®
Export Work apron with
strengthened bib
(not glued!)**

**Configuration Wearing Systems
& closures – Page 28/29**

aproTex® EXPORT Apron

Art-No.	Type	Color	Size	Content	Unit
01001	open edge	☐	100 cm	5	Piece
01002	open edge	☐	105 cm	5	Piece
01003	open edge	☐	110 cm	5	Piece
01004	open edge	☐	115 cm	5	Piece
01005	open edge	☐	120 cm	5	Piece
01006	open edge	☐	125 cm	5	Piece
01007	open edge	☐	130 cm	5	Piece
01008	open edge	☐	135 cm	5	Piece
01009	open edge	☐	140 cm	5	Piece
03001	hemmed	☐	100 cm	5	Piece
03002	hemmed	☐	105 cm	5	Piece
03003	hemmed	☐	110 cm	5	Piece
03004	hemmed	☐	115 cm	5	Piece
03005	hemmed	☐	120 cm	5	Piece
03006	hemmed	☐	125 cm	5	Piece
03007	hemmed	☐	130 cm	5	Piece
03008	hemmed	☐	135 cm	5	Piece
03009	hemmed	☐	140 cm	5	Piece



aproTex® BASIC

Configuration for aproTex® EXPORT Apron

aproTex® EXPORT aprons are among the world's best-manufactured work aprons and are available in a variety of styles. All neck straps and the carrying system can be combined with our functional waist fasteners.

Waist closures

K	Polyester woven textile tie band	
GKH	Round elastic with plastic hook	
GMH	Round elastic with metal hook	
KK	Plastic chain with plastic hook	
TKH	TPU strap with plastic hook	

Spare parts for aproTex® EXPORT Apron

Art-No.	Item	Color	Content	Unit
00001	aproTex® Neckband (NV) Both-sided adjustable and replaceable	☐	5	Piece
00002	aproTex® Special harness (Y-Form) (KV) Both-sided adjustable and replaceable	☐	5	Piece
00003	aproTex® Waist-fastening (KK) Plastic chain with plastic hook	☐	5	Piece
00005	aproTex® Waist-fastening (GKH) Round elastic with plastic hook	☐	5	Piece
00006	aproTex® Waist-fastening (GMH) Round elastic with metal hook	☐	5	Piece
00007	aproTex® Waist-fastening (TKH) TPU-band with 2 plastic hooks	☐	5	Piece
00008	aproTex® Waist-fastening (BKH) TPU cord with 1 plastic hook	☐	5	Piece
00009	aproTex® Polyester woven textile tie band (K) 150 meter/roll	☐	1	Piece
00010	aproTex® Neckband (BKH) TPU cord with 2 plastic hooks	☐	5	Piece

aproTex® BASIC

Neckband | Wearing system


NF

- firmly roasted and additionally sewn neckband on both sides made of NBR material
- with metal eyelets




NV

- adjustable and replaceable neck strap made of TPU material
- folding buckles for quick adjustment and exchange on both sides
- with metal eyelets



KV

- adjustable and exchangeable Y-shape carrying system for optimal neck relief made of TPU material
- folding buckles for quick adjustment and exchange on both sides
- with metal eyelets
- integrated waist closure of your choice



Front view

Back view

aproLin® BASIC

aproLin® -L90- | -L100- Apron (TPU-Polyurethane-Film)

Lightweight, comfortable, extremely robust TPU work aprons with excellent hygiene properties. Available in various widths and designs. Especially suitable for the food industry (meat industry, fish industry, dairy industry and delicatessen industry).

- made of TPU-film (without fabric)
- material: 300 µm
- extreme durable
- extreme tear- and abrasion-proof
- washable
- permanent flexible
- waterproof
- resistant against animal oils and fats, strong detergents and some acids and alkaline liquids
- other lengths on request
- widths: 90 | 100 cm
- other colours on request



- **Bib reinforcement**
welded
- **Hygienic design**
without rivets, seams, glue
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort

**Configuration Wearing Systems
and closures – Page 8**



aproLin® BASIC

aproLin® -L90- Apron

Width: ca. 90 cm, 300 µm

Art-No.	Color	Size	Content	Unit
10000	□	90 cm	5	Piece
10001	□	100 cm	5	Piece
10002	□	105 cm	5	Piece
10003	□	110 cm	5	Piece
10004	□	115 cm	5	Piece
10005	□	120 cm	5	Piece
10006	□	125 cm	5	Piece
10007	□	130 cm	5	Piece
10008	□	135 cm	5	Piece
10009	□	140 cm	5	Piece
10101	■	100 cm	5	Piece
10102	■	105 cm	5	Piece
10103	■	110 cm	5	Piece
10104	■	115 cm	5	Piece
10105	■	120 cm	5	Piece
10106	■	125 cm	5	Piece
10107	■	130 cm	5	Piece
10108	■	135 cm	5	Piece
10109	■	140 cm	5	Piece
10201	■	100 cm	5	Piece
10202	■	105 cm	5	Piece
10203	■	110 cm	5	Piece
10204	■	115 cm	5	Piece
10205	■	120 cm	5	Piece
10206	■	125 cm	5	Piece
10207	■	130 cm	5	Piece
10208	■	135 cm	5	Piece
10209	■	140 cm	5	Piece
10300	■	90 cm	5	Piece
10301	■	100 cm	5	Piece
10303	■	110 cm	5	Piece
10304	■	115 cm	5	Piece
10305	■	120 cm	5	Piece
10306	■	125 cm	5	Piece
10307	■	130 cm	5	Piece
10308	■	135 cm	5	Piece
10309	■	140 cm	5	Piece
10401	■	100 cm	5	Piece
10403	■	110 cm	5	Piece
10404	■	115 cm	5	Piece
10405	■	120 cm	5	Piece
10406	■	125 cm	5	Piece
10407	■	130 cm	5	Piece
10408	■	135 cm	5	Piece
10409	■	140 cm	5	Piece

aproLin® -L100- Apron

Width: ca. 100 cm, 300 µm

Art-No.	Color	Size	Content	Unit
12001	□	100 cm	5	Piece
12002	□	105 cm	5	Piece
12003	□	110 cm	5	Piece
12004	□	115 cm	5	Piece
12005	□	120 cm	5	Piece
12006	□	125 cm	5	Piece
12007	□	130 cm	5	Piece
12008	□	135 cm	5	Piece
12009	□	140 cm	5	Piece
12201	■	100 cm	5	Piece
12202	■	105 cm	5	Piece
12203	■	110 cm	5	Piece
12204	■	115 cm	5	Piece
12205	■	120 cm	5	Piece
12206	■	125 cm	5	Piece
12207	■	130 cm	5	Piece
12208	■	135 cm	5	Piece
12209	■	140 cm	5	Piece

aproLin® BASIC

Configuration for aproLin® -L90- | -L100- Apron

aproLin® aprons are among the world's best-manufactured work aprons and are available in a variety of styles. All neck straps and the carrying system can be combined with our functional waist fasteners.

Waist closures


K KP	Polyester woven textile tie band TPU tie bands welded or knotted	
GKH	Round elastic with plastic hook	
GMH	Round elastic with metal hook	
KK	Plastic chain with plastic hook	
TKH	TPU strap with plastic hook	
BKH	Bungee cord with 2 plastic hooks	

Spare parts for aproLin® -L90- | -L100- Apron

Art-No.	Item	Color	Content	Unit
00001	aproTex® Neckband (NV) Both-sided adjustable and replaceable	☐	5	Piece
00002	aproTex® Special harness (Y-Form) (KV) Both-sided adjustable and replaceable	☐	5	Piece
00003	aproTex® Waist-fastening (KK) Plastic chain with plastic hook	☐	5	Piece
00005	aproTex® Waist-fastening (GKH) Round elastic with plastic hook	☐	5	Piece
00006	aproTex® Waist-fastening (GMH) Round elastic with metal hook	☐	5	Piece
00007	aproTex® Waist-fastening (TKH) TPU-band with 2 plastic hooks	☐	5	Piece
00008	aproTex® Waist-fastening (BKH) TPU cord with 1 plastic hook	☐	5	Piece
00009	aproTex® Polyester woven textile tie band (K) 150 meter/roll	☐	1	Piece
00010	aproTex® Neckband (BV) TPU cord with 2 plastic hooks	☐	5	Piece

aproLin® BASIC

Neckband | Wearing system

LNFW	• both sides firmly welded neckband made of TPU material • without eyelets	
LNFP	• both sides firmly welded neckband made of TPU material • with additional plastic eyelets	
LNFM	• both sides firmly welded neckband made of TPU material • with additional metal eyelets	
LNVP	• adjustable and replaceable neck strap made of TPU material • clip buckles for quick adjustment and replacement on both sides • with plastic eyelets	
LNVM	• adjustable and replaceable neck strap made of TPU material • clip buckles for quick adjustment and replacement on both sides • with metal eyelets	
LNBV	• adjustable and replaceable neck strap made of bungee cord • plastic hooks for quick adjustment and replacement on both sides • with metal- and plastic eyelets	
LKVP	• adjustable and exchangeable Y-shape carrying system for optimal neck relief made of TPU material • folding buckles for quick adjustment and exchange on both sides • with plastic eyelets • integrated waist closure of your choice	 Front view Back view
LKVM	• adjustable and exchangeable Y-shape carrying system for optimal neck relief made of TPU material • folding buckles for quick adjustment and exchange on both sides • with metal eyelets • integrated waist closure of your choice	

aproLin® BASIC

aproLin® ECO Apron (TPU-Polyurethane-Film)

All-in-one, super-lightweight, comfortable and extremely durable TPU aprons with ultimate hygiene properties. As an innovative alternative to disposable clothing especially suitable for the meat industry, fish industry, dairy industry and delicatessen industry. As a complement to aproLin® ECO+: aproLin® ECO made of extra strong material.

- made of TPU film (without fabric insert)
- material: 250 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other lengths on request
- widths: approx. 95 cm



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort



aproLin® ECO Apron 250 µm

Art-No.	Color	Size	Content	Unit
15004	☐	115 cm	5	Piece
15005	☐	120 cm	5	Piece
15008	☐	135 cm	5	Piece
15012	☐	155 cm	5	Piece
15200	☒	90 cm	5	Piece
15202	☒	105 cm	5	Piece
15204	☒	115 cm	5	Piece
15208	☒	135 cm	5	Piece
15212	☒	155 cm	5	Piece

aproLin® BASIC

aproLin® ECO+ Apron (TPU-Polyurethane-Film)

One-piece, ultra-lightweight, comfortable and extremely durable TPU aprons with ultimate hygiene properties. As an innovative alternative to disposable clothing especially suitable for the meat industry, fish industry, dairy industry and delicatessen industry.

- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other lengths on request
- widths: approx. 95 cm
- other colours on request



aproLin® ECO+ Apron 150 µm

Art-No.	Color	Size	Content	Unit
17002	☐	105 cm	5	Piece
17004	☐	115 cm	5	Piece
17005	☐	120 cm	5	Piece
17008	☐	135 cm	5	Piece
17010	☐	145 cm	5	Piece
17012	☐	155 cm	5	Piece
17104	☒	115 cm	5	Piece
17108	☒	135 cm	5	Piece
17112	☒	155 cm	5	Piece
17202	☒	105 cm	5	Piece
17204	☒	115 cm	5	Piece
17208	☒	135 cm	5	Piece
17212	☒	155 cm	5	Piece
17302	☒	105 cm	5	Piece
17304	☒	115 cm	5	Piece
17308	☒	135 cm	5	Piece
17312	☒	155 cm	5	Piece
17404	☒	115 cm	5	Piece
17405	☒	120 cm	5	Piece
17408	☒	135 cm	5	Piece
17412	☒	155 cm	5	Piece



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort

aproLin® BASIC

aproLin® ECO+ Sleeve apron (TPU-Polyurethane-Film)

The supplement to the normal apron with additional wetness protection and perfect hygiene properties. Particularly suitable for the production, processing and finishing of food in wet areas in the food industry.

- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other lengths on request
- widths: approx. 95 cm
- other colours on request



Back view

aproLin® ECO+ Sleeve apron 150 µm

Art-No.	Color	Size	Content	Unit
22004	□	115 cm	5	Piece
22008	□	135 cm	5	Piece
22012	□	155 cm	5	Piece
22104	■	115 cm	5	Piece
22108	■	135 cm	5	Piece
22112	■	155 cm	5	Piece
22204	■	115 cm	5	Piece
22208	■	135 cm	5	Piece
22212	■	155 cm	5	Piece
22304	■	115 cm	5	Piece
22308	■	135 cm	5	Piece
22312	■	155 cm	5	Piece
22404	■	115 cm	5	Piece
22408	■	135 cm	5	Piece
22412	■	155 cm	5	Piece
23408	■	135 cm	5	Piece



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort

aproLin® BASIC

aproLin® ECO+ Sleeve cover Standard | Premium (TPU-Polyurethane-Film)

Ultra-lightweight, comfortable and very durable TPU sleeve protectors. The sleeve covers are versatile and particularly suitable for work in damp and wet areas in butchers, fishmongers, dairies, canneries and communal catering. The Premium model offers glove wearers additional moisture or wetness protection.

- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other colours on request



aproLin® ECO+ Standard Sleeve cover 150 µm

Art-No.	Color	Size	Content	Unit
47045	□	45 cm	5	Pair
47145	■	45 cm	5	Pair
47245	■	45 cm	5	Pair
47345	■	45 cm	5	Pair
47445	■	45 cm	5	Pair

aproLin® ECO+ Premium Sleeve cover 150 µm

Art-No.	Color	Size	Content	Unit
48001	□	50 cm	5	Pair
48002	□	50 cm	5	Pair
48101	■	50 cm	5	Pair
48102	■	50 cm	5	Pair
48201	■	50 cm	5	Pair
48202	■	50 cm	5	Pair
48301	■	50 cm	5	Pair
48302	■	50 cm	5	Pair
48401	■	50 cm	5	Pair
48402	■	50 cm	5	Pair



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort

aproLin® BASIC

aproLin® Fingerfix

aproLin® Fingerfix glove tighteners fix gloves more accurately and can compensate for possible differences in size. The Fingerfix are extremely resistant, particularly elastic and therefore available in one size. The material has been tested as a reusable product within the framework of food conformity and clearly exceeds the requirements.

- made of elastic TPU-film (non sticky)
- material: 300 µm
- extreme durable
- other colours on request



aproLin® Fingerfix

Art-No.	Color	Size	Content	Unit
85010		Universal	1	Piece
85110		Universal	1	Piece
85210		Universal	1	Piece
85310		Universal	1	Piece
85410		Universal	1	Piece

aproLin® DETECT

**METAL
DETECTABLE**

aproLin® DETECT Fingerfix

aproLin® DETECT Fingerfix glove tightener fixes puncture protection gloves more accurately and can compensate for possible size differences. The additional detectability increases food safety in the production process. The elasticity of the Fingerfix ensures a very good fit.

- made of elastic TPU-film (non sticky)
- material: 150 µm
- very durable



aproLin® DETECT Fingerfix

Art-No.	Color	Size	Content	Unit
88210		Universal	1	Piece

aproLin® DETECT

**METAL
DETECTABLE**

aproLin® DETECT Apron (TPU-Polyurethane-Film)

One-piece, detectable, ultra-light, very comfortable and very durable TPU work aprons with ultimate hygiene properties. The detectable alternative to disposable clothing especially suitable for the meat industry, fish industry, dairy industry and delicatessen industry.



- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other lengths on request
- widths: approx. 95 cm



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort



aproLin® DETECT Apron 150 µm

Art-No.	Color	Size	Content	Unit
25002	■	105 cm	5	Piece
25004	■	115 cm	5	Piece
25008	■	135 cm	5	Piece
25010	■	145 cm	5	Piece
25012	■	155 cm	5	Piece
25202	■	105 cm	5	Piece
25204	■	115 cm	5	Piece
25208	■	135 cm	5	Piece
25210	■	145 cm	5	Piece
25212	■	155 cm	5	Piece

aproLin® DETECT

**METAL
DETECTABLE**

aproLin® DETECT Sleeve apron (TPU-Polyurethane-Film)

The extended protection to the normal bib apron with additional detectability for optimised product safety, additional wetness protection and perfect hygiene properties. Versatile use in all wet areas within the food industry.

- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis
- other lengths on request
- widths: approx. 95 cm



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort



Back
view



aproLin® DETECT Sleeve apron 150 µm

Art-No.	Color	Size	Content	Unit
30004	■	115 cm	5	Piece
30008	■	135 cm	5	Piece
30012	■	155 cm	5	Piece
30204	■	115 cm	5	Piece
30208	■	135 cm	5	Piece
30212	■	155 cm	5	Piece


aproLin® DETECT

**METAL
DETECTABLE**

aproLin® DETECT Sleeve cover Standard | Premium (TPU-Polyurethane-Film)

Detectable, ultra-lightweight and durable TPU sleeve protector. For versatile use and optimised food safety (detectable) in all production processes in the food industry. The Premium model provides additional moisture and wetness protection for glove wearers.

- made of TPU film (without fabric insert)
- material: 150 µm
- cold flexible up to -65 °C
- machine washable up to 90 °C
- waterproof
- resistant against animal oils and fats, strong detergents, some acids and alkalis



with elastic band
Standard



without elastic band
Premium



- **cost efficient**
cheaper than disposable clothing
- **RFID chip optional**
- **breathable**
- **very hard-wearing**
more tear-resistant than disposables and therefore less consumption within the production processes
- **Hygienic design**
without eyelets, rivets, seams, glue, closures
- **Lotus effect**
dirt-repellent
- **ErgoFit**
ultra light – high wearing comfort

aproLin® DETECT Standard Sleeve cover 150 µm

Art-No.	Color	Size	Content	Unit
55245	■	45 cm	5	Pair

aproLin® DETECT Premium Sleeve cover 150 µm

Art-No.	Color	Size	Content	Unit
57001	■	50 cm	5	Pair
57002	■	50 cm	5	Pair
57201	■	50 cm	5	Pair
57202	■	50 cm	5	Pair

aproTex® BASIC

aproTex® -EL- Apron (PU-Polyurethane-coated)

Extra-light, ultra-light and very comfortable PU aprons with neckband adjustment on one side for various areas within the food industry. Higher quality finish than known competitor products (no knotted neck or side straps). Especially suitable for counter areas in butcher shops, fishmongers, supermarkets, HoReCa and commercial kitchens.

- made of polyester jersey fabric coated on one side with polyurethane
- neckband: fix hemmed and adjustable on one side out of apron material
- waist fastening: polyester woven textile tie bands
- permanent flexible
- waterproof
- resistant against animal oils and fats
- other lengths on request
- widths: 70 | 90 cm
- all Pantone® colors available
(depending on quantity)



- **Hygienic Design**
without metal eyelets, rivets, glue
- **Machine washable**
- **with logo-print on request**



aproTex® -EL70- Apron

hemmed edge, width: ca. 70 cm

Art-No.	Color	Size	Content	Unit
35001		100 cm	5	Piece
35002		105 cm	5	Piece
35003		110 cm	5	Piece
35004		115 cm	5	Piece
35005		120 cm	5	Piece
35006		125 cm	5	Piece
35007		130 cm	5	Piece
35101		100 cm	5	Piece
35102		105 cm	5	Piece
35103		110 cm	5	Piece
35104		115 cm	5	Piece
35105		120 cm	5	Piece
35106		125 cm	5	Piece
35107		130 cm	5	Piece
35201		100 cm	5	Piece
35203		110 cm	5	Piece
35205		120 cm	5	Piece
35207		130 cm	5	Piece
35301		100 cm	5	Piece
35303		110 cm	5	Piece
35305		120 cm	5	Piece
35307		130 cm	5	Piece
35401		100 cm	5	Piece
35403		110 cm	5	Piece
35405		120 cm	5	Piece
35501		100 cm	5	Piece
35503		110 cm	5	Piece
35505		120 cm	5	Piece
35507		130 cm	5	Piece
35701		100 cm	5	Piece
35703		110 cm	5	Piece
35705		120 cm	5	Piece
35801		100 cm	5	Piece
35803		110 cm	5	Piece
35805		120 cm	5	Piece

aproTex® -EL90- Apron

hemmed edge, width: ca. 90 cm

Art-No.	Color	Size	Content	Unit
37001		100 cm	5	Piece
37002		105 cm	5	Piece
37003		110 cm	5	Piece
37004		115 cm	5	Piece
37005		120 cm	5	Piece
37006		125 cm	5	Piece
37007		130 cm	5	Piece
37101		100 cm	5	Piece
37102		105 cm	5	Piece
37103		110 cm	5	Piece

aproTex® -EL90- Apron

hemmed edge, width: ca. 90 cm

Art-No.	Color	Size	Content	Unit
37104		115 cm	5	Piece
37105		120 cm	5	Piece
37106		125 cm	5	Piece
37107		130 cm	5	Piece
37201		100 cm	5	Piece
37202		105 cm	5	Piece
37203		110 cm	5	Piece
37204		115 cm	5	Piece
37205		120 cm	5	Piece
37206		125 cm	5	Piece
37207		130 cm	5	Piece
37301		100 cm	5	Piece
37302		105 cm	5	Piece
37303		110 cm	5	Piece
37304		115 cm	5	Piece
37305		120 cm	5	Piece
37306		125 cm	5	Piece
37307		130 cm	5	Piece
37401		100 cm	5	Piece
37403		110 cm	5	Piece
37404		115 cm	5	Piece
37405		120 cm	5	Piece
37406		125 cm	5	Piece
37407		130 cm	5	Piece
37501		100 cm	5	Piece
37503		110 cm	5	Piece
37505		120 cm	5	Piece
37507		130 cm	5	Piece
37601		100 cm	5	Piece
37603		110 cm	5	Piece
37605		120 cm	5	Piece
37607		130 cm	5	Piece
37701		100 cm	5	Piece
37702		105 cm	5	Piece
37703		110 cm	5	Piece
37704		115 cm	5	Piece
37705		120 cm	5	Piece
37706		125 cm	5	Piece
37707		130 cm	5	Piece
37801		100 cm	5	Piece
37803		110 cm	5	Piece
37805		120 cm	5	Piece
37807		130 cm	5	Piece

aproTex® BASIC

aproTex® -UL- Apron (PU-Polyurethane-coated)

Very light allpurpose apron.
Particularly suitable for use in shops,
service and counter areas.

- made of nylon fabric coated on one side with polyurethane
- neckband: fix hemmed and adjustable on one side out of apron material
- waist fastening: polyester woven textile tie bands
- permanent flexible
- waterproof
- resistant against animal oils and fats
- width: 70 cm



aproTex® -UL70- Apron hemmed edge, width: ca. 70 cm

Art-No.	Color	Size	Content	Unit
40101	■	100 cm	1	Piece
40103	■	110 cm	1	Piece
40105	■	120 cm	1	Piece
40201	■	100 cm	1	Piece
40203	■	110 cm	1	Piece
40205	■	120 cm	1	Piece
40301	■	100 cm	1	Piece
40303	■	110 cm	1	Piece
40305	■	120 cm	1	Piece
40701	■	100 cm	1	Piece
40703	■	110 cm	1	Piece
40705	■	120 cm	1	Piece

aproTex® BASIC

aproTex® -EL- Sleeve cover (PU-Polyurethane-coated)

High-quality, very comfortable and durable PU sleeve protector with drawstring for width adjustment for work in damp and wet areas in butcher's shops, fishmongers, cheese dairies, canning factories and communal catering.

- made of polyester jersey fabric coated on one side with polyurethane
- permanent flexible
- waterproof
- resistant against animal oils and fats
- lengths: ca. 45 cm
- all Pantone® colors available (depending on quantity)



aproTex® -EL- Sleeve cover

Art-No.	Color	Size	Content	Unit
60001	White	45 cm	5	Pair
60101	Red	45 cm	5	Pair
60201	Blue	45 cm	5	Pair
60301	Green	45 cm	5	Pair
60401	Yellow	45 cm	5	Pair
60501	Dark Red	45 cm	5	Pair
60601	Dark Blue	45 cm	5	Pair
60701	Black	45 cm	5	Pair
60801	Grey	45 cm	5	Pair

- Hygienic Design
- Machine washable



aproTex® BASIC



aproTex® Smock (PU-Polyamide fabric)

Premium wetness protection slip jacket for professional use in cleaning production facilities in the food industry.

- PU-Polyamide-fabric (240 g/m²)
- fixed hood with drawstring
- snap button on the neck
- elastic cuffs
- water column: 10,000 mm



aproTex® Smock

Art-No.	Color	Size	Content	Unit
68206	■	XS	1	Piece
68207	■	S	1	Piece
68208	■	M	1	Piece
68209	■	L	1	Piece
68210	■	XL	1	Piece
68211	■	2XL	1	Piece
68212	■	3XL	1	Piece
68213	■	4XL	1	Piece



aproTex® Bib & Brace (PU-Polyamide fabric)

Premium wet protection cleaning bib & brace trouser for the professional use in cleaning production plants in the food processing industry.

- PU-Polyamide fabric (240 g/m²)
- robust and adjustable wearing system with click closures
- elastic leg cuffs
- water column: 10,000 mm



aproTex® Bib & Brace

Art-No.	Color	Size	Content	Unit
69206	■	XS	1	Piece
69207	■	S	1	Piece
69208	■	M	1	Piece
69209	■	L	1	Piece
69210	■	XL	1	Piece
69211	■	2XL	1	Piece
69212	■	3XL	1	Piece
69213	■	4XL	1	Piece

BASIC



PU-Boot SAFETY with steel cap

Art-No.	Color	Size	Content	Unit
96036	☐	36	1	Pair
96037	☐	37	1	Pair
96038	☐	38	1	Pair
96039	☐	39	1	Pair
96040	☐	40	1	Pair
96041	☐	41	1	Pair
96042	☐	42	1	Pair
96043	☐	43	1	Pair
96044	☐	44	1	Pair
96045	☐	45	1	Pair
96046	☐	46	1	Pair
96047	☐	47	1	Pair
96048	☐	48	1	Pair
96049	☐	49	1	Pair



PU-Boot SAFETY with steel cap

Art-No.	Color	Size	Content	Unit
96236	☒	36	1	Pair
96237	☒	37	1	Pair
96238	☒	38	1	Pair
96239	☒	39	1	Pair
96240	☒	40	1	Pair
96241	☒	41	1	Pair
96242	☒	42	1	Pair
96243	☒	43	1	Pair
96244	☒	44	1	Pair
96245	☒	45	1	Pair
96246	☒	46	1	Pair
96247	☒	47	1	Pair
96248	☒	48	1	Pair
96249	☒	49	1	Pair



PU-Boot SAFETY with steel cap

Art-No.	Color	Size	Content	Unit
96336	☒	36	1	Pair
96337	☒	37	1	Pair
96338	☒	38	1	Pair
96339	☒	39	1	Pair
96340	☒	40	1	Pair
96341	☒	41	1	Pair
96342	☒	42	1	Pair
96343	☒	43	1	Pair
96344	☒	44	1	Pair
96345	☒	45	1	Pair
96346	☒	46	1	Pair
96347	☒	47	1	Pair
96348	☒	48	1	Pair
96349	☒	49	1	Pair

PU-Boot without steel cap

Art-No.	Color	Size	Content	Unit
97036	☐	36	1	Pair
97037	☐	37	1	Pair
97038	☐	38	1	Pair
97039	☐	39	1	Pair
97040	☐	40	1	Pair
97041	☐	41	1	Pair
97042	☐	42	1	Pair
97043	☐	43	1	Pair
97044	☐	44	1	Pair
97045	☐	45	1	Pair
97046	☐	46	1	Pair
97047	☐	47	1	Pair
97048	☐	48	1	Pair
97049	☐	49	1	Pair

PU-Boot | PU-Boot SAFETY

Premium safety PU-boots for professional use in the food industry according to:

- EN ISO 20345, S4, CI, SRC (with steel cap)
- EN ISO 20347, O4, CI, FO, SRC (without steel cap)
- upper material: polyurethane (PU) with very high isolation properties, resistant to microorganisms, very light, flexible and abrasion resistant
- sole: PU with shock absorbing system, very robust and non-slip, self-cleaning (SRC class)
- insole: Sanitized®, ergonomic, antistatic and removable
- shaft: ergonomically shaped



meshFlex® SAFETY

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) ■ XS (6) ■ S (7) ■ M (8) ■ L (9) ■ XL (10) ■ XXL (11) ■

meshFlex® PRIME Cut protection glove

The meshFlex® PRIME achieves the highest cut protection class F within the framework of the new EN388:2016 standard and clearly exceeds the required performance of 30N. Despite the high cut resistance due to innovative and sustainable high-performance fibres, the PRIME is finely knitted, very light and has very good tactile sensitivity. This makes the PRIME the right choice for reliable cut protection – ideal for the knife-holding hand in the food processing industry.

- made of high-tech yarns with stainless steel core
- free from glass fibers
- extra long cuff
- highest wearing comfort
- excellent tactile sensitivity
- gauge: 13
- cooking linen at 95 ° C possible
- EN 388:2016: 4X4X
- EN ISO 13997: Level F



meshFlex® PRIME Cut protection glove

Art-No.	Color	Size	Content	Unit
70205	■	5 ■ brown(2XS)	10	Piece
70206	■	6 ■ green(XS)	10	Piece
70207	■	7 ■ white(S)	10	Piece
70208	■	8 ■ red(M)	10	Piece
70209	■	9 ■ blue(L)	10	Piece
70210	■	10 ■ orange(XL)	10	Piece
70211	■	11 ■ olive(2XL)	10	Piece

meshFlex® SAFETY

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) XS (6) S (7) M (8) L (9) XL (10) XXL (11)

meshFlex® PRIME-S Cut protection armguard

Robust cut protection sleeve. Especially for the reliable cut and cold protection of the forearm in the food processing industry.

- made of high-tech yarns with stainless steel core
- free from glass fibers
- high wearing comfort
- gauge: 13
- cooking linen at 95 °C possible
- EN 388:2016: 4X4X
- EN ISO 13997: Level F



meshFlex® PRIME-S Cut protection armguard

Art-No.	Color	Size	Content	Unit
79200		Universal	10	Piece

meshFlex® PRIMAX Cut protection glove

The new meshFlex® PRIMAX is specially designed for working in damp and wet environments. The high-quality coating and optimal fit guarantee a high level of grip safety. Through innovative and sustainable high-performance fibers, the PRIMAX is finely knitted, very light and at the same time has a high cut resistance.

coming soon



meshFlex® PRIMAX Cut protection glove

Art-No.	Color	Size	Content	Unit
75205	5	brown(2XS)	10	Pair
75206	6	green(XS)	10	Pair
75207	7	white(S)	10	Pair
75208	8	red(M)	10	Pair
75209	9	blue(L)	10	Pair
75210	10	orange(XL)	10	Pair
75211	11	olive(2XL)	10	Pair



- made of high performance fibers with stainless steel core
- free of glass fibers
- high quality nitrile foam partial coating
- highest wearing comfort
- good tactile sensitivity
- knit thickness: 13
- can be boil washed at 95°C
- EN 388:2016: in certification
- EN ISO 13997: in certification

meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) ■ XS (6) ■ S (7) ■ M (8) ■ L (9) ■ XL (10) ■ XXL (11) ■

meshFlex® STANDARD Stab protection glove

Made of stainless steel ring mesh with replaceable TPU plastic strap and detectable stainless steel ring mesh. The Ergo-Fit-System offers highest wearing comfort and due to the smaller stainless steel ring mesh compared to other gloves (ringØ: 3.8 mm) optimal safety against stab and cut injuries. The STANDARD model is available in different cuff lengths. The proven and high quality push button closure makes the glove easy to put on and take off. In addition, the TPU closure strap can be easily replaced (without tools). This also allows the glove to be turned quickly and easily for left-handed users.

- smaller and more effective stainless steel ring mesh than known gloves
- EFS – ErgoFitSystem for a better grip and perfect fit
- fully hygienic and easy to clean
- elastic and soft plastic closure strap
- can be worn on both sides (easy change from left to right or vice versa, without tools)
- simple closure with proven push-button technology for precise adjustment with simultaneous suitability for quick emergency exit
- simple replacement of the closure strap with proven push-button technology (no tools required)
- flexible plastic stays (gauntlet gloves)
- serial number and barcode identification
- RFID chip optional
- CE certified according to DIN EN 1082-1
- DIN EN 1811



meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) ■ XS (6) ■ S (7) ■ M (8) ■ L (9) ■ XL (10) ■ XXL (11) ■



meshFlex® STANDARD Stab protection glove 5-Finger

Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Size	Content	Unit
81005	without	81105	8 cm	81205	16 cm	81305	20 cm	5 ■ brown(2XS)	1	Piece
81006	without	81106	8 cm	81206	16 cm	81306	20 cm	6 ■ green(XS)	1	Piece
81007	without	81107	8 cm	81207	16 cm	81307	20 cm	7 ■ white(S)	1	Piece
81008	without	81108	8 cm	81208	16 cm	81308	20 cm	8 ■ red(M)	1	Piece
81009	without	81109	8 cm	81209	16 cm	81309	20 cm	9 ■ blue(L)	1	Piece
81010	without	81110	8 cm	81210	16 cm	81310	20 cm	10 ■ orange(XL)	1	Piece
81011	without	81111	8 cm	81211	16 cm	81311	20 cm	11 ■ olive(2XL)	1	Piece

meshFlex® STANDARD Stab protection glove 5-Finger, fullarm (L/R)

Art-No.	Cuff	Size	Content	Unit
81807 / 81907	fullarm	7 ■ white(S)	1	Piece
81808 / 81908	fullarm	8 ■ red(M)	1	Piece
81809 / 81909	fullarm	9 ■ blue(L)	1	Piece
81810 / 81910	fullarm	10 ■ orange(XL)	1	Piece
81811 / 81911	fullarm	11 ■ olive(2XL)	1	Piece

Replacement straps and wearing strap see price list



meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) ■ XS (6) ■ S (7) ■ M (8) ■ L (9) ■ XL (10) ■ XXL (11) ■

meshFlex® HOOKER Stab protection glove

The all-metal glove with closure hook — without accessories such as press studs, buckles and plastic straps - for easy handling and optimum hygiene. The Ergo-Fit system offers maximum wearing comfort and, thanks to the smaller stainless steel ring mesh (ringØ: 3.8 mm) compared to other gloves, optimum safety against stab and cut injuries. The HOOKER model is available with a 19 cm cuff. The quick and easy turning of the glove ensures wearing for left-handed as well as right-handed people.

- smaller and more effective stainless steel ring mesh than known gloves
- EFS – ErgoFitSystem for a better grip and perfect fit
- 100% stainless steel – closure hooks and closure band made of ring mesh
- perfect hygiene and durability
- without accessories like snap fasteners, buckles and replacement straps
- easy handling – closure hooks for easy and and stepless locking
- wearable on both sides (reversible)
- flexible plastic stays (gauntlet gloves)
- serial number and barcode marking
- RFID chip optional
- CE certified according to DIN EN 1082-1
- DIN EN 1811



meshFlex® HOOKER Stab protection glove 5-Finger

Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Size	Content	Unit
80005	without	80105	8 cm	80205	15 cm	80305	19 cm	5 ■ brown(2XS)	1	Piece
80006	without	80106	8 cm	80206	15 cm	80306	19 cm	6 ■ green(XS)	1	Piece
80007	without	80107	8 cm	80207	15 cm	80307	19 cm	7 ■ white(S)	1	Piece
80008	without	80108	8 cm	80208	15 cm	80308	19 cm	8 ■ red(M)	1	Piece
80009	without	80109	8 cm	80209	15 cm	80309	19 cm	9 ■ blue(L)	1	Piece
80010	without	80110	8 cm	80210	15 cm	80310	19 cm	10 ■ orange(XL)	1	Piece
80011	without	80111	8 cm	80211	15 cm	80311	19 cm	11 ■ olive(2XL),	1	Piece

meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

Colour-coded hems according to the Euronorm for chainmesh gloves

XXS (5) ■ XS (6) ■ S (7) ■ M (8) ■ L (9) ■ XL (10) ■ XXL (11) ■

meshFlex® FLANKER Stab protection glove

The all-metal glove with self-adjusting stainless steel spring fastener - the glove adapts to the hand without the need for a fastening system. The Ergo-Fit system offers maximum wearing comfort and, thanks to the smaller stainless steel ring mesh compared to other gloves (ring Ø: 3.8 mm), optimum protection against puncture and cut injuries. Easy handling – the glove is very easy to put on and take off and can be worn by both left and right-handed users thanks to its quick reversibility.

- smaller and more effective stainless steel ring mesh than conventional gloves (laser welding technology)
- EFS – ErgoFitSystem for a better grip and perfect fit
- 100% stainless steel – self-adjusting stainless steel spring fastener
- perfect hygiene conditions – suitable for drum washing machines
- wearable on both sides (reversible)
- flexible plastic stays (gauntlet gloves)
- serial number and barcode labelling
- RFID chip optional
- CE-certified according to DIN EN 1082-1
- DIN EN 1811



meshFlex® FLANKER Stab protection glove

5-Finger

Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Art-No.	Cuff	Size	Content	Unit
80005	without	80105	8 cm	80205	15 cm	80305	19 cm	5 ■ brown(2XS)	1	Piece
80006	without	80106	8 cm	80206	15 cm	80306	19 cm	6 ■ green(XS)	1	Piece
80007	without	80107	8 cm	80207	15 cm	80307	19 cm	7 ■ white(S)	1	Piece
80008	without	80108	8 cm	80208	15 cm	80308	19 cm	8 ■ red(M)	1	Piece
80009	without	80109	8 cm	80209	15 cm	80309	19 cm	9 ■ blue(L)	1	Piece
80010	without	80110	8 cm	80210	15 cm	80310	19 cm	10 ■ orange(XL)	1	Piece
80011	without	80111	8 cm	80211	15 cm	80311	19 cm	11 ■ olive(2XL),	1	Piece



meshFlex® SAFETY


**METAL/X-RAY
DETECTABLE**

meshFlex® Stab protection apron

meshFlex® stab protection aprons are developed and produced from high-quality stainless steel and in accordance with the latest hygiene and safety requirements. The smaller metal ring mesh (ringØ: 3.8 mm) compared to conventional stab protection aprons and the high-quality wearing system guarantee extremely high wearing comfort. In addition, the Ergo-Fit system ensures a very good fit and a secure fit of the apron. The dense 3.8 mm ring mesh ensures maximum protection against life-threatening cuts and punctures. At the same time, the detectability of individual components increases food safety within the production processes.

- smaller and more effective stainless steel ring mesh than known aprons (ringØ: 3.8 mm)
- light and comfortable to wear
- easy to clean and residue-free
- adjustable, robust and comfortable TPU carrying system
- serial number and barcode marking
- RFID chip optional
- in CE-Certification according to DIN EN ISO 13998:2003/05 (performance class 2)
- DIN EN 1811

Ø 0,53mm



**METAL/X-RAY
DETECTABLE**

**LASER WELDING
TECHNOLOGY**



Back view



meshFlex® Stab protection apron

Art-No.	Size	Content	Unit
83075	75 x 45 cm, S3845	1	Piece
83080	80 x 55 cm, S3855	1	Piece
83085	85 x 60 cm, S3860	1	Piece

Replacement wearing system see price list

meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

meshFlex® Stab protection bolero

meshFlex® stab protection boleros for extended protection of the shoulder, neck and chest area. The Ergo-Fit system ensures an optimal fit and weight distribution. Optionally, the meshFlex® stab protection bolero is also available with one sleeve (left or right). The special sleeve cuff ensures a very good fit of the bolero. The detectability is another advantage.

- smaller and more effective stainless steel ring mesh than known aprons (ringØ: 3.8 mm)
- light and comfortable to wear
- easy to clean and residue-free
- adjustable, robust and comfortable TPU carrying system
- serial number and barcode marking
- RFID chip optional
- CE certified according to DIN EN ISO 13998:2003/05 (performance class 2)
- DIN EN 1811



Back view



meshFlex® Stab protection bolero

Art-No.	Type	Size	Content	Unit
84080	without arm	80 x 45 cm, B3845	1	Piece
84090	without arm	90 x 55 cm, B3855	1	Piece
84100	without arm	100 x 65 cm, B3865	1	Piece

Replacement hip belts see price list

meshFlex® SAFETY

**METAL/X-RAY
DETECTABLE**

meshFlex® Stab protection bolero with arm (left or right)

meshFlex® stab protection boleros for extended protection of the shoulder, neck and chest area. The Ergo-Fit system ensures an optimal fit and weight distribution. Optionally, the meshFlex® stab protection bolero is also available with one sleeve (left or right). The special sleeve cuff ensures a very good fit of the bolero. The detectability is another advantage.

- smaller and more effective stainless steel ring mesh than known aprons (ringØ: 3.8 mm)
- light and comfortable to wear
- easy to clean and residue-free
- adjustable, robust and comfortable TPU carrying system
- serial number and barcode marking
- RFID chip optional
- CE certified according to DIN EN ISO 13998:2003/05 (performance class 2)
- DIN EN 1811




Illustration:
arm left

Ø 0,53mm



Back view

meshFlex® Stab protection bolero with arm

Art-No.	Type	Size	Content	Unit
84081	with arm (left)	80 x 45 cm, B3845L	1	Piece
84082	with arm (right)	80 x 45 cm, B3845R	1	Piece
84091	with arm (left)	90 x 55 cm, B3855L	1	Piece
84092	with arm (right)	90 x 55 cm, B3855R	1	Piece
84101	with arm (left)	100 x 65 cm, B3865L	1	Piece
84102	with arm (right)	100 x 65 cm, B3865R	1	Piece

Replacement hip belts see price list



Ollsener Straße 54a
DE-21271 Hanstedt

Telefon +49 (0)40 / 80 00 84 533
Telefax +49 (0)40 / 80 00 84 900

info@reiko-aprotex.com
www.reiko-aprotex.com

